Google scholar (replac or substitut or assign or re-assign) and

Search

Advanced Scholar Search Scholar Preferences

Scholar New! Articles and patents

anytime

include citations

Results 1 - 100 of about 417. (0.39 sec)

Did you mean: (replace or substitute or assign or reassign) and (application or program)

MUSIC: an autonomous platform supporting self-adaptive mobile applications

uio.no [PDF]

R Rouvoy, M Beauvois, L Lozano, J ... - Proceedings of the ..., 2008 - portal.acm.org

... Two main rules are considered during this assign- ment: i) only one master is permitted in the adaptation domain— ie ... unavailable: the Profile Assigner tries to replace this profile or reconfigures the adaptation domain if no **substitute** is found ... **Replacing** a component realization. ...

Cited by 2 - Related articles - All 3 versions

Representative Image

DB Colasurdo, ML Fraenkel, S Hasti, GG Montero - freepatentsonline.com ... Subsequently, the request can be re-routed to the **substitute** clone. ... dispatcher can route requests from the clients to selected ones of the servers whose respective workload managers, in turn, can initially assign session affinity ... [0039] In any case, as the replacement clone 340 ... Cached

Finite-element analysis of semiconductor devices: The FIELDAY program

uiuc.edu [PDF]

EM Buturla, PE Cottrell, BM Grossman, KA ... - IBM Journal of ..., 1981 - portal.acm.org

... Once that decision has been made, simulation can **substitute** for many costly matrix experiments ...

The user can then delete elements, change their material properties, or re-assign contacts ... Device simulation results in this section, several applications of the FIELDAY program are ...

Cited by 183 - Related articles - BL Direct - All 10 versions

Clone-managed session affinity

DB Colasurdo, ML Fraenkel, S Hasti, GG ... - US Patent App. 10/ ..., 2002 - Google Patents ... requests from the clients to selected ones of the servers whose respective workload managers, in turn, can initially assign session affinity ... 5. The method of claim 1, wherein said canceling step comprises the steps of: identifying a substitute clone; replacing said reference in ...

Apparatus and method for interfacing host computer and computer nodes using redundant gateway data lists of accessible

computer node data

FM Middledorp, AP Fournier - US Patent 5,341,496, 1994 - Google Patents ... nodes. The **application** interface software employs a redundancy routine to ensure host access of computer node data through the gateways. The ... sucessfull ? 79 YES Replace the Pseudo id in the database for the objects in this list. ...

Cited by 9 - Related articles - All 2 versions

An agent-based approach to composing web services to support adaptable business processes

H Mei, X Sun, X Liu, W Jiao, G Huang - Multiagent and Grid Systems, 2006 - IOS Press ... 2) When a web service is selected to **substitute** a failed web service, how to ... of doing well on all of those aspects, such as supporting the dynamic **replace**- ments of ... a. For an individual activity, such as <receive>, <reply>, <invoke>, <assign>, <terminate>, <wait>, and <empty ...

Cited by 1 - Related articles - BL Direct - All 3 versions

Research: A daily diet for teachers

JB Barnes - Peabody journal of education, 1958 - informaworld.com

... It helps to **re-assign** priority to our work tasks and in the process it lifts our thought ceilings ... personal qualities (friendliness, warmth, genuineness, sociability, opti- mism, open-mindedness, etc.) do not **substitute** for this attribute; they augment it but they will never **replace** it. ...

Cited by 1 - Related articles - All 4 versions

[CITATION] Iterative integer programming formulation for robust resource allocation in dynamic real-time systems

S Gertphol, VK Prasanna - Parallel and Distributed Processing Symposium, 2004. ..., 2004

Cited by 2 - Related articles - All 4 versions

[PDF] ADVANTAGES OF A KNOWLEDGE PORTAL

D Hall - Citeseer

... items to other personnel, request corporate review or approval, **assign** action to other plant ... retire, resign, or simply go with the competition. Because **replacing** company experts whose ... It provides **application program** interfaces (API) using the familiar SQL query and data ...

View as HTML - All 3 versions

[PDF] An Architecture for Distributed Dictionary Attacks to OpenPGP Secret Keyrings

M Bernaschi, V del Policlinico, I Rome, M Bisson, V dei \dots - scs-europe.net

... From this viewpoint, the present work can be considered a **replacement** and an extension of pgpcrack (that ... a generator node wants to quit the system (SQ operation), it elects a **substitute**, choosing it ... role with one of the child verifier nodes (SW operation), in order to **assign** to the ... Related articles - View as HTML

[BOOK] The ABCs of Workflow for E-Business Suite Release 11i and Release 12

K Brownfield, S Behn, G Jones - 2008 - books.google.com

... For the past couple of years, Gerald has become focused on Oracle's Approvals Management Engine (AME) **application**. He enjoys working with AME because of the unique blend of functional and technical skills that are utilized working with the **application**. ...

All 2 versions

MIDI and the Apple Macintosh

C Yavelow - Computer Music Journal, 1986 - JSTOR

pku.edu.cn [PDF]

psu.edu [PDF]

scs-europe.net [PDF]

... deal more power and flexibility than their hardware-based counterparts, which they are rapidly **replacing**. ... acter or detects that its transmit buffer is empty, following which, the **application** continues at ... Thus, I/O is essen- tially independent of the main **program** (Digidesign 1985). ...

Cited by 4 - Related articles - All 2 versions

MUXTREE revisited: Embryonics as a reconfiguration strategy in fault-tolerant processor arrays

C Ortega-Sánchez, A Tyrrell - Evolvable Systems: From Biology to Hardware - Springer

... redundancy reconfiguration techniques rely on complex algorithms to **re-assign** physical resources ...

on the reconfiguration technique chosen (row elimination, column elimination, neighbour

substitution, etc.), only ... if the reconfiguration strategy followed is row replacement, then it ...

Cited by 9 - Related articles - BL Direct - All 8 versions

An Architecture for Distributed Dictionary Attacks to Cryptosystems

M Bernaschi, M Bisson, E Gabrielli, ... - Journal of ..., 2009 - ojs.academypublisher.com ... From this viewpoint, the present work can be considered a **replacement** and an extension of pgpcrack (that ... a generator node wants to quit the system (SQ operation), it elects a **substitute**, choosing it ... role with one of the child verifier nodes (SW operation), in order to **assign** to the ... Related articles - View as HTML - All 6 versions

Enabling Java mobile computing on the IBM Jikes research virtual machine

G Cabri, L Leonardi, R Quitadamo - Proceedings of the 4th ..., 2006 - portal.acm.org ... these systems need to constantly monitor the execution of their tasks and possibly **re-assign** them, according to ... thread may want to suspend the execution of a worker thread A, **assign** it to ... 3.3.1 The JikesRVM OSR Extractor The OSR (On-Stack **Replacement**) extractor is another ...

Cited by 4 - Related articles - All 10 versions

[PDF] About Designing a Customized Training Program for Engineers in Technology Transfer and Innovation Management

S Brad, A Vlaicu, O Tataru - icee2008hungary.net

... 19 Replace a rigid system (static fields with dynamic fields; fields in conjunction with particles) ...

29 Material to be written such as to **substitute** teachers in a large extend In the conception phase

of the study materials we benefited from a ... 44 Re-assign teachers Not applicable here. ...

Related articles - View as HTML

A multi-objective re-assembling policy model and its implementation in the case of a network of personal computers

NP Rachaniotis, CP Pappis, GT Tsoulfas, T ... - ... with Applications, 2009 - Elsevier

... Computers & Mathematics with **Applications** Article in Press, Corrected Proof - Note to users. ... a specific policy is set up with regard to components' **replacement** or rearrangement ... that reflects their performance, and comparing computers' devices using appropriate software tools. ...

Related articles - All 2 versions

Shared memory multiprocessor support for functional array processing in SAC

C Grelck - Journal of Functional Programming, 2005 - Cambridge Univ Press

... a subset of C with a strict, purely functional semantics based on context-free **substitution** of expressions. ... We achieve this runtime behaviour by the consequent **application** of standard

psu.edu [PDF]

academypublisher.com [PDF]

psu.edu [PDF]

icee2008hungary.net [PDF]

uva.nl [PDF]

compiler optimizations in ... In Figure 1, this is indicated by **replacing** horizontal boxes by thin bars ... Cited by 14 - Related articles - All 7 versions

A hybrid oriented interactive language

ML Cramer, JC Strauss - Proceedings of the 1966 21st national ..., 1966 - portal.acm.org ... decimal" identification facilitates simple modification of existing stored **programs** through insertion and/or **replacement**. ... The action character ',' has been used in the **assign**- ment of values to variables. ... in that it accepts formatting input on a one-for-one **substitution** basis during ... Cited by 1 - Related articles - All 4 versions

'MajorCool: A Web Interface To Majordomo

B Houle - Proc. Usenix LISA X, 1996 - usenix.org ... is a reference to a valid e-mail address), list admins could **re-assign** list ownership to ... Since **replacing** the majordomo-owner alias with a canned response referring people to the MajorCool ... a new configuration file is submitted by performing an in-stream string **substitution** on the ...

Cited by 5 - Related articles - All 6 versions

A review of heuristic programming

GC Michael - Decision Sciences, 2007 - interscience.wiley.com
... If it is, a **substitution** of the corresponding part of X for the variable is possible, thus ... and then is either discarded or if it is a better solution used to **replace** the previously ... The **application** of heuristic pro- gramming to such an ill-structured situation such as job shop scheduling is ...
Cited by 12 - Related articles

Adapting compilation techniques to enhance the packing of instructions into registers

S Hines, D Whalley, G Tyson - Proceedings of the 2006 ..., 2006 - portal.acm.org ... IRF win- dow, and then greedily selecting the most beneficial function to **assign** to a ... ability to parameterize registers, reg- ister re-assignment can be beneficial by **replacing** entire register ... Using the register interference graph, we can now perform the register **substitution** on the ... Cited by 7 - Related articles - All 11 versions

Energy-efficient task mapping for data-driven sensor network macroprogramming

A Pathak, V Prasanna - Distributed Computing in Sensor Systems - Springer ... Since the formulation is non-linear, we provide **substitution**-based techniques to linearize the MIPs. ... The above problem can be converted to a linear MIP by **replacing** each $xi\beta \cdot xj\gamma$ term with a binary ... that (i, j) can be assigned to them do 6: M[i] = α , M[j] = β // Temporarily **assign** (i, j ... Cited by 3 - Related articles - All 12 versions

ICITATION Self Organizing Maps for Reducing the Number of Clusters by One on Simplex Subspaces

C Kotropoulos, V Moschou - 2006 IEEE International Conference on Acoustics, ..., 2006 Related articles - All 2 versions

Selecting Word Processing Software: Hard Choices Made Easier

L Gary Jr - Legal Econ., 1984 - HeinOnline

usenix.com [PS]

psu.edu [PDF]

usc.edu [PDF]

auth.gr [PDF]

... A large number of our com- puter systems **replace** com- petitor's hard disk systems their users have outgrown. ... For example, I can **re- assign** any key to ... macro programmer for function keys or a front end driver to create a master menu to control all of your software **applications**)? ...

Content-aware steganography: About lazy prisoners and narrow-minded wardens

R Bergmair, S Katzenbeisser - Information Hiding - Springer

... as being "lazy" when sending or receiving subliminal messages: as humans they can trivially **assign** and infer ... To see that this is really a solution to the HIP, we can **substitute** ck and ... is then replaced by a different word from an incorrect synonymy set; the **replacement** is selected ... Cited by 9 - Related articles - BL Direct - All 19 versions

[PDF] A plan fusion algorithm for multi-agent systems

HTMM de Weerdt, A Bos, H Tonino, C ... - CL-2000 Workshop on ..., 2000 - Citeseer ... s: $\{r1,r2,...,rm\} \leftarrow \{r1,r2,...,rm\}$ is an instance of ss, if there exists a **substitution** θ : $\{x1$... 1 (re-sources may be used at most once, and be pro-duced by at most one skill **application**). ... For our purposes, ie, fusion, we often want to **replace** a re-source by another (free) resource (see ... Cited by 6 - Related articles - View as HTML - All 10 versions

[PDF] 14 Medical imaging

J Segen - Diversitas Cybernetica - jacklon.net

... 2-pass algorithms: using neighborhood operators, Run Lenght Code, quadtree –1st pass–assign labels to ... initial exemplars or initial grouping then compute exemplars as means 2. Re-assign all examples ... terminals A,(B...) Terminals a, b Grammar G= Rules of substitution A:= Aa ... Related articles

MIP formulation for robust resource allocation in dynamic real-time systems

S Gertphol, VK Prasanna - Journal of Systems and **Software**, 2005 - Elsevier ... Variable **substitution** (SMIP formulation) 6. Experiments and results 6.1. ... Another important characteristic of these systems is the real-time requirements imposed upon **application** tasks. ... the system in the current status, dynamic re-allocation is often used to **re-assign** resources to ...

Cited by 6 - Related articles - All 12 versions

[PDF] Routine Checkup

D Harrison - CELLAR, 2000 - notes.ump.edu.my

... If the se- lected port is not available or is being used by another **program**, you will receive an error message. The Win- dows operating system allows one **program** at a time to control any indi- vidual COM port, so be sure to quit other **applications**. ...

Related articles - View as HTML - All 2 versions

Compiler-based register name adjustment for low-power embedded processors

P Petrov, A Orailoglu - Proceedings of the 2003 IEEE/ACM ..., 2003 - portal.acm.org

... Therefore, it is possible to **substitute** the target of the second instruction ... Of course, in this particular case such a **replacement** is possible if the use of the value ... Fundamentally, the dead register reassignment technique tries to **re**- **assign** the live intervals within the basic blocks to ...

psu.edu [PDF]

psu.edu [PDF]

jacklon.net [PDF]

psu.edu [PDF]

ump.edu.my [PDF]

umd.edu [PDF]

Cited by 3 - Related articles - BL Direct - All 11 versions

[PDF] MIP Formulation for Robust Resource Allocation in Dynamic Real-Time Systems •

usc.edu [PDF]

S Gertphol, VK Prasanna - halcyon.usc.edu

... In order to sustain the system in the current status, dynamic re-allocation is often used to **re-assign** re-sources ... One way to linearize the formulation is by **replacing** the product of two variables with one auxiliary variable, together with ... Note that if i = j, then no **substitution** is needed ... Related articles - View as HTML

heapg.com [PDF]

[PDF] QX OCS

H HE-BP41, H HEQX451C105, H HEQX451C103, H ... - heapg.com ... products or any associated equipment, damage to associated equipment, cost of capital, cost of **substitute** products, facilities, services or **replacement** power, down ... safety provisions for the

end equipment as is usual and customary in industrial applications as defined in ...

View as HTML - All 4 versions

[CITATION] A multiframe model for real-time tasks

AK Mok, D Chen - IEEE transactions on **Software** Engineering, 1997

Cited by 195 - Related articles - BL Direct - All 25 versions

psu.edu [PDF]

Exact and approximate algorithms for high-multiplicity parallel machine scheduling

C Filippi, G Romanin-Jacur - Journal of Scheduling, 2009 - Springer

... Abstract In many scheduling **applications**, a large number of jobs are grouped into a comparatively small number of lots made of ... Sort job types in SPT order; let $\gamma = (1, m)$. 2. For all t = 1,...,g: (a) **assign** kt = •nt ... job of type t to all ma- chines in γ , set ht = ht – m(γ), and **replace** γ by ...

Cited by 1 - Related articles - All 2 versions

[PDF] A general model for real-time tasks

AK Mok, D Chen - Dept. Computer Sciences, Univ. Texas at Austin, ..., 1996 - Citeseer ... While this is a reasonable assumption for process-control-type real-time **applications**, it may be overly conservative 5] for situations where the average-case execution ... factor of 1 : 2 and is thus

unscheduleable. Also notice that we cannot replace the tracking task by a ...

Cited by 17 - Related articles - View as HTML - All 9 versions

[CITATION] Acting on Inheritance Hierarchies

AF da Silva - Object-oriented programming for graphics, 1995 - Springer

Related articles

[PDF] CTICE PAPER

ARD PRA - rid.org

... While providing a viable option for interpreting services, VRI is not a comprehensive **replacement** for onsite ... VRI is not an absolute **substitute** for face-to-face interpreting. ... VRI providers strive to **assign** the best-matched qualified interpreters for specific assignments, includ- ing ...

View as HTML

psu.edu [PDF]

<u>rid.org</u> [PDF]

On the formal expression of natural rules in phonology

M Chen - Journal of Linguistics, 1973 - JSTOR

... **Substitute** distinctive features [consonantal], [voiced], [high], etc., for A, B, and C, and we ... for example, that we were systematically to interchange features or to **replace** [axF] by ... more fully exploit the notion of context- sensitive marking conventions, and **assign** increasingly higher ...

Cited by 25 - Related articles - All 3 versions

System of assigning work requests based on classifying into an eligible class where the criteria is goal oriented and capacity information is available

JD Aman, CL Cotner, DNT Dillenberger, DB ... - US Patent ..., 1997 - Google Patents ... ON CANDIDATE SERVER LIST -550 EXECUTE ROUTINE 900 TO **ASSIGN** SERVERS WITH THEIR WEIGHTS FROM ELIGIBLE AND/OR CANDIDATE SERVER LISTS TO OUTPUT SERVER LIST -560 SEND OUTPUT SERVER LIST TO CLIENT **APPLICATION** (EXIT) Page 8. ...

Cited by 54 - Related articles - All 2 versions

Non-canonical amino acids in protein engineering

AJ Link, ML Mock, DA Tirrell - Current opinion in biotechnology, 2003 - Elsevier ... as an effective surrogate for methionine, and over the past decade this **substitution** has revolutionized ... Residue-specific **replacement** precludes incorporation of one of the canonical amino acids, and ... and coworkers [55.•], who used a mutant yeast tRNA Phe to **re-assign** one of ... Cited by 137 - Related articles - All 5 versions

[PDF] Compiler-Based Register Name Adjustment for Low-Power Embedded Processors a

P Petrov, A Orailoglu - 2003 - Citeseer

... Therefore, it is possible to **substitute** the target of the second instruction ... Of course, in this particular case such a **replacement** is possible if the use of the value ... Fundamentally, the dead register reassignment technique tries to **re- assign** the live intervals within the basic blocks to ... Related articles - View as HTML - All 5 versions

[PDF] Central Applications Group INMOS Bristol

A Hamilton - 1989 - transputer.net

... However, most companies would 1Windows, Icons, Mice, and Pull-down Menus 16 Page 17. write an entire **application** in a high level language (like C) as part of the normal **application** development route, and then write selected parts in assembler following **program** profiling. ... Related articles - View as HTML

[PDF] Practical Perl Programming

B Jurish - ling.uni-potsdam.de

... Social Interaction Generating dynamic **program** code, integration of Perl interpreters into external **applications** and **programs**. ... **Program** 3.3: hello-folks.perl ... You can use this syntax to **assign** to a list element, too: \$array[\$n] = \$value; – \$#array Returns the numeric index of the last ... Related articles - View as HTML - All 2 versions

psu.edu [PDF]

transputer.net [PDF]

uni-potsdam.de [PDF]

<u>ווווג.eau</u> נדטרן

IPDF Engineering Design Leadtime Drivers Analysis

NAM Anaya - 1999 - dspace.mit.edu

... of Management and the Department of Mechanical Engineering in partial fulfillment of the requirements for the degrees of: Master of Science in Management and Master of Science in Mechanical Engineering In conjunction with the Leaders for Manufacturing **program** at the ... Related articles - All 2 versions

bolinfonet.org [PDF]

[PDF] DNA barcoding in surveys of small mammal communities: a field study in Suriname

AV BORISENKO, BK LIM, NV IVANOVA, RH ... - Molecular Ecology ..., 2008 - bolinfonet.org ... deletion of missing data, and the inclusion of all codon positions and **substitution** types; the ... The **assign**- ment of individuals to a given species using the BOLD online identification engine ... this stage, we cannot recommend FTA cards as a **replacement** for conventional methods of ... Cited by 15 - Related articles - View as HTML - BL Direct - All 3 versions

Method and apparatus for storing changes to file attributes without having to store an additional copy of the file contents

T Yee - US Patent App. 09/815,971, 2001 - Google Patents

... filed on the same day as this **application**, and entitled ... via a website, extranet site or intranet site, the contents may include, text, graphic images, sounds, software scripts, and ... 6. For example, if the attributes F02 are changed again, such as to **re-assign** the file 302 to yet another ... All 4 versions

[PDF] Binary and multi-valued SPFD-based wire removal in PLA networks

S Sinha, S Khatri, R Brayton, A Sangiovanni- ... - Proceedings of the ..., 2000 - Citeseer ... of wires between individual circuit nodes is reduced, either by removing wires, or **replacing** them with ... the area or the routability of a multi-level circuit by wire removal and/or **substitution**. ... this technique was refined and adapted to multi-level networks, while its **application** to logic ... Cited by 7 - Related articles - View as HTML - All 10 versions

psu.edu [PDF]

[HTML] Miscellaneous electricity use in US homes

MC Sanchez, JG Koomey, MM Moezzi, A Meier, W ... - 1999 - escholarship.org ... Our study does not include this potential **substitution** effect or its energy implications within the lighting ... In the future, it may be appropriate for EIA to **re-assign** some currently defined ... include improving the efficiency of fans for fuel-fired furnaces, and **replacing** halogen torchieres ... Cited by 4 - Related articles - Cached - All 9 versions

escholarship.org [HTML]

[PDF] State-oriented programming

M Samek, P Montgomery - Embedded Systems Programming, 2000 - state-machine.com ... transitions are accomplished by changing the cur- rent state object (typically **re-assign**- ing one ... mize stack use and maximize perfor- mance we were careful to **replace** potential recursion ... observes that all OO design principles (for example, the Liskov **Substitution** Principle) hold ... Cited by 24 - Related articles - All 10 versions

state-machine.com [PDF]

[PDF] Z80 SYSTEM **SOFTWARE**

US MANUAL - z80cpu.eu

z80cpu.eu [PDF]

... of non-AMPRO formats MULTIFMT Format of non-AMPRO formats SET Modifies port configurations SWAP **Re-assign** drive letters ... A "shell" is a **substitute** operating envi-ronment ... levels of isolation of the user from the opera- ting system, and can even completely **replace** the CCP ... Related articles - All 5 versions

[PDF] Laurent Falquet The new editorial board: Erik Bongcam-Rudloff, Pedro Fernandes, Kimmo Mattila, Lubos Klucar, and psu.edu [PDF] Goncalo Guimaraes Pereira.

GG Pereira, UBR - 2005 - Citeseer

... ShowTicket (see tickets) • ShowTicketComments (see the comments attached to tickets) • TakeTicket (assign the ticket ... is not visible anymore, but still physically in the database) • StealTicket (re-assign an already ... They should never be used as a substitute of up-to-date patches ... Related articles - View as HTML - All 10 versions

Transfers of Broadcasting Licenses Under the Communications Act of 1934

HP Warner - BUL Rev., 1941 - HeinOnline

... 1934 requires the written approval of the Communications Commission that an **assign**- ment of ... The original cost, present depreciated value and **replacement** value of the technical equipment must ... After the hearings 9 were concluded a **substitute** bill was presented in which the ... Cited by 8 - Related articles - All 2 versions

Information Technology Portfolio Management and the Real Options Method (ROM): Managing the Risks of IT Investments in the Department of the Navy (DON)

JP Davis, NAVAL POSTGRADUATE SCHOOL ... - 2003 - oai.dtic.mil

... by the DON and provides recommendations for managing the inherent risk in IT investments, specifically the **application** of the Real ... This study uses the Naval Supply Systems Command (NAVSUP) Automatic Identification Technology (AIT) **program** to illustrate how ROM can be ...

Cited by 2 - Related articles - View as HTML - All 6 versions

[PDF] TrueCIV-A strategy game/simulator with a human ecological touch

P Alexandersson, L Sundberg - 2003 - hv.diva-portal.org ... for population sustenance as food, though heating energy from burned wood and coal is an acceptable **substitute**. ... But a city built next to one can **assign** its citizens as fishermen, which brings in a lot ... table 5), but you – as a player and leader of the people – can **re-assign** them to ... Related articles - All 2 versions

[CITATION] Introduction to BASIC programming for foresters

JR Brooks, HV Wiant - 1986 - Forest Resources Systems Inst All 2 versions

System for assignment of work requests by identifying servers in a multisystem complex having a minimum predefined capacity utilization at lowest importance level

JD Aman, CL Cotner, DNT Dillenberger, DB ... - US Patent ..., 1999 - Google Patents ... and Control , 1989 28th Annual Scheduling," IEEE Transactions on Software Engineering, Conference, pp. ... ON CANDIDATE SERVER LIST 550 EXECUTE ROUTINE 900 TO ASSIGN

diva-portal.org [PDF]

SERVERS WITH ... LIST 560 SEND OUTPUT SERVER LIST TO CLIENT APPLICATION FIG.5 ...

Cited by 26 - Related articles - All 2 versions

[PDF] A review of nutrients and botanicals in the integrative management of cognitive dysfunction

PM Kidd - Altern Med Rev, 1999 - thorne.com

... PS is extremely versatile in its clinical **application**. ... by-organ basis after the greater PS molecule is absorbed.50 The indispensable "business end" of the PS molecule is the headgroup, for which native serine amino acid or other phospholipids cannot **substitute**.51 Findings from ...

Cited by 83 - Related articles - BL Direct - All 8 versions

Granular Computing Applied to Ontologies

DE CIUCCI, S CALEGARI - International journal of approximate ..., 2010 - boa.unimib.it ... of the form Ci • F in the T-Box, **replace** them with axioms C • F. **Replace** the remaining ... C or if some further knowledge about the domain described by the ontology is available, **assign** them to a ... For any subconcept Cj of C find a proper concept Ci and **substitute** the axiom Cj • C ... View as HTML

[PDF] A User's Introduction to the IRAF Command Language

PMB Shames, D Tody - Citeseer

... Since 1983 Doug has been head of the IRAF group at NOAO, overseeing the development of the NOAO science **applications** software while continuing work on the IRAF systems software, and coordinating the e ort with STScl. Page 3. Acknowledgements ...

Cited by 3 - Related articles - View as HTML - All 32 versions

[BOOK] Word XP Advanced Open Learning Guide

CTL Staff - 2003 - books.google.com

... into a complete open learning package to teach how to use a particular software **application**. ... Open Learning Word XP Introduction This Open Learning Guide assumes that the **program** has been ... Measurements used throughout this guide are metric, **substitute** similar distances ...

Natural history and experimental evolution of the genetic code

B Wiltschi, N Budisa - Applied microbiology and biotechnology, 2007 - Springer ... similar codons encode similar amino acids, ie the codon–amino acid **assign**- ments are not ... **Substitution** of canonical with non- canonical amino acids in alloproteins results in unusual ... tailor-made properties will be invaluable for basic research and biotech- nological **application**. ... Cited by 12 - Related articles - BL Direct - All 7 versions

Between separate stoves and a single menu: Fiscal decentralization in China

K Tsui, Y Wang - The China Quarterly, 2004 - Cambridge Univ Press ... 19 More often than not, weighting schemes fixed by the TRS **assign** heavy importance to economic construction. ... 17. References from the political gazettes are too numerous to be cited. A sample of circulars on the **application** of TRS to different tasks is available on request. 18. ... Cited by 66 - Related articles - BL Direct - All 7 versions

thorne.com [PDF]

unimib.it [PDF]

psu.edu [PDF]

olemiss.edu [PDF]

han'ean li ni l

[PDF] Untraceable RFID tags via insubvertible encryption

G Ateniese, J Camenisch, B de Medeiros - Proc. ACM Conf. on Computer ..., 2005 - Citeseer ... iden- tification (RFID) that are being phased in as product la- bels, in **substitution** of, or ... Moreover, readers would be able to **replace** the con- tents of tags with randomized versions at each ... We note that legitimate issuers could "**re-assign**" to them a tag that was initially issued by a ... Cited by 104 - Related articles - View as HTML - All 11 versions

[PDF] <u>Dyana</u> <u>psu.edu</u> [PDF]

P Güntert, C Mumenthaler, T Herrmann - Citeseer

... tolerant target function followed by an assessment of the possible peak **assign**- ments in ... This method has the potential to largely **replace** the manual method for NOESY assignment ... can be exploited almost ideally for parallel computing and renders feasible **applications** that have ... Related articles - View as HTML - All 24 versions

[воок] Open learning guide for Microsoft Word 2000: advanced

CA Training - 2000 - books.google.com

... Measurements used throughout this guide are metric, **substitute** similar distances if imperial measurements are used. ... Press <Enter>. 12. Highlight the title Computer **Applications**. ... 17. Click on the arrow from the Style box and **replace** the highlighted entry with SubHcad. ...

[CITATION] Welfare maximization in congestion games

L Blumrosen, S Dobzinski - IEEE Journal on Selected Areas in Communications, 2007 Cited by 9 - Related articles - All 14 versions

[PDF] A fast heuristic for Tomahawk land-attack predesignation

A Arnold, S Reader, AM Newman, GG Brown - 2000 - edocs.nps.edu ... Any **application** of these **programs** without additional verification is at the risk of the user. ... A Tomahawk may be classified by its software and engine combination, ie, by its block, and by its warhead. ... A Block IV missile **substitution** for a Block III mission will not always be acceptable ... Cited by 1 - Related articles - All 4 versions

[PDF] Stackable layers: An architecture for file system development

JS Heidemann - Master's thesis, University of California, Los Angeles, ..., 1991 - Citeseer ... Page 18. recent approaches to file system modularity such as Sun's VFS interface [Kle86] allow easy **substitution** of entire file systems, they do little to support modu- ... As a result, it is not easy to **replace** or ... Ritchie's Streams paper [Rit84] is the classic **application** of these principles ... Cited by 11 - Related articles - View as HTML - All 6 versions

[BOOK] Nonlinear optimization with financial applications

MC Bartholomew-Biggs - 2005 - books.google.com

... 1 Optimality conditions 41 2 Visualising problems in several variables 43 3 Direct search methods 45 4 Optimization software & examples ... students and for other researchers and practitioners who need a foundation for work involving development or **application** of optimization ...

Cited by 18 - Related articles - Library Search - All 7 versions

psu.edu [PDF]

nps.edu [PDF]

psu.edu [PDF]

[BOOK] An introduction to genetic algorithms for scientists and engineers

DA Coley - 1999 - books.google.com

... Any changes to the text or software will be posted at http://www.ex.ac.uk/cee/ga/. ... XV Chapter 1 Introduction Contents 1.1 Some **Applications** of Genetic Algorithms 1.2 Search Spaces 1.3 Genetic Algorithms 1.4 An Example 1.5 Summary 1.6 Exercise Chapter 2 Improving the ...

Cited by 387 - Related articles - Library Search - All 8 versions

[CITATION] PHP: a beginner's guide

V Vaswani - 2008 - McGraw-Hill/Osborne Media

Related articles - All 3 versions

On global warming: Flow-based soft global constraints

WJ Van Hoeve, G Pesant, LM Rousseau - Journal of Heuristics, 2006 - Springer ... constraints are often key elements in successfully modeling and solving real- life applications with constraint ... To these arcs we assign a cost, corresponding to some violation measure of the ... is to identify with each soft constraint S a "cost" variable z, and replace the constraint S ... Cited by 45 - Related articles - BL Direct - All 8 versions

[PDF] NCR 5380 SCS! INTERFACE

P BRIEF - DO - z80cpu.eu

... Algorithm In order to provide a general purpose "hook" for a variety of SCSI/PLUS applications, the Little ... Replace your old BOOT EPROM with the new SCSI BOOT EPROM, and verify that your system still ... o Running SWAP, to re-assign drive letters the way that you want them. ... Related articles - All 2 versions

[CITATION] Binary and multi-valued SPFD-based wire removal S Sinha, SP Khatri, RK Brayton - in PLA networks,??? in Proc. ICCD, 2000

Related articles - All 4 versions

In search of Marionina (Clitellata, Enchytraeidae): A taxonomic history of the genus and re-description of the type species

Pachydrilus georgianus Michaelsen, 1888

E Rota, L Matamoros, C Erséus - Italian Journal of Zoology, 2008 - informaworld.com ... Thus he decided to assign it to a new distinct taxon, Enchytraeoides, which he regarded ... Was it legitimate or incorrect of Michaelsen (1889) to propose a replacement name for ... other words, could Enchytraeoides have priority over Marionia and its later substitute name Marionina ... Cited by 1 - Related articles

[PDF] The Job Guarantee in Practice

V Quirk, E Allen, T Andresen, A Bill, B Cook, B ... - 2006 - e1.newcastle.edu.au ... The aim is to replace unemployment and under-employment with paid employment, so that those who are at any point in time ... They may choose to relieve the supervisor from their duties or assign a mentor to work with them while the review is ... Re-assign them to another team, ... Cited by 4 - Related articles - View as HTML

umontreal.ca [PDF]

z80cpu.eu [PDF]

newcastle.edu.au [PDF]

[PDF] Pre-processing planning domains containing language axioms

M Davidson, M Garagnani - Proc. UK PlanSIG workshop, 2002 - Citeseer

... the systems; (2) Gazen and Knoblock's pre- processing algorithm, and (3) the Iterative **replacement** procedure described ... We can **substitute** this 'reasoning' step by appending a new addition (in

this case unconditional) to ... End-for; End-for; Re-assign set W := Z; End-while; End-For ...

Cited by 11 - Related articles - View as HTML - All 6 versions

A solvent-isotope-effect study of proton transfer during catalysis by Escherichia coli (lacZ) beta-galactosidase.

<u>nih.gov</u> [PDF]

psu.edu [PDF]

T Selwood, ML Sinnott - Biochemical Journal, 1990 - ncbi.nlm.nih.gov

... The **programs** were adapted to run on a BBC Master microcomputer. ... effects on essential ionizations, there is no significant solvent isotope effect on V or V/K. This is entirely in accord with our previous conclusion that the Mg'+-free enzyme operated without the **application** of acid ...

Cited by 23 - Related articles - All 10 versions

[CITATION] Satellite systems Conlerence if WT OLSSON

[PDF] VILNIUS GEDIMINAS TECHNICAL UNIVERSITY

MOFEBP EXCEPTION - submit.library.lt

... 22 Definition 3 Workflow Management System is a system that defines and manages the execution of workflows through the use of software, running on one or more workflow engines, ... required, invoke the use of IT tools and **applications** [68]. ... **replace** paper-based processing. ... Related articles - View as HTML

Apparatus and accompanying method for assigning session requests in a multi-server sysplex environment

JD Aman, DB Emmes, DW Palmieri - US Patent 6,249,800, 2001 - Google Patents ... ON CANDIDATE SERVER LIST 550 EXECUTE ROUTINE 900 TO **ASSIGN** SERVERS WITH THEIR WEIGHTS FROM ELIGIBLE AND/OR CANDIDATE SERVER LISTS TO OUTPUT SERVER LIST 560 SEND OUTPUT SERVER LIST TO CLIENT **APPLICATION** (EXIT Page 9. ...

Cited by 4 - Related articles - All 2 versions

[BOOK] Dynamics and Pragmatics for High Performance Concurrency

FRM Barnes - 2003 - Citeseer

... 153 6.3.1 Building Internet **Applications** 154 6.3.2 The occam Interface 165 6.3.9

Cited by 31 - Related articles - View as HTML - All 9 versions

[PDF] Strategic Quality-AS OFTWARE Engineering Approach

RJ Van Staden - 2004 - Citeseer

... 4.3 SOFTWARE APPLICATIONS90 4.4 SOFTWARE

MYTHS.....91 ... Table 4.1: Software Applications90 ...

Related articles - View as HTML - All 8 versions

Broken Spirits: Permanent Replacements and the Rumford Strike of 1986

library.lt [PDF]

psu.edu [PDF]

psu.edu [PDF]

TJ Minchin - New England Quarterly, 2001 - JSTOR

... would such a move undermine the union's contention that skilled jobs could not be performed by substitute workers, but ... 3'Worker Replacement Plan, p. 3 ... control force available NATIONALLY" and as "the most rugged security firm in the business." It could assign "trained Tactical ...

Cited by 3 - Related articles

[PDF] Consumer-Directed Home Care

P Doty - 2004 - caregiver.org

... in particular— explicitly design and limit home care coverage to supplement or complement but not to **substitute** for unpaid ... The cost of **replacing** all family caregiving with paid help would be prohibitively high (Arno, Levine, & Memmott ... Agencies also re-assign workers at will. ...

Related articles - View as HTML - All 7 versions

Bleaching the Stain of Clorox, a Trademark Trap for the Unwary

JR Sims III, GS Shatan - Franchise LJ, 1997 - HeinOnline

... a new application for regis- tration in the appropriate party's name to replace (if neces ... Here, if available, a retroactive assign- ment of the assignor's business may be more appropriate. ... franchisor has the ability, at least contractually, to require franchisees to substitute an altogeth ... Related articles - All 2 versions

[CITATION] Preceding vehicle recognition based on learning from sample images

T Kato, Y Ninomiya, I Masaki - IEEE Transactions on Intelligent Transportation ..., 2002 Cited by 54 - Related articles - BL Direct - All 3 versions

[PDF] Needles or needless?

B Marshall, M Townsley - 2006 - Citeseer

... application in the supermarket industry in determining which pairs of products are frequently bought together. ... The project based its software on techniques from both statistics and artificial ... multiple passes are made through a dataset to re-assign cases and adjust the ...

Related articles - View as HTML - All 4 versions

ICITATION Clinical, Genetic and Functional Characteristics of Three Novel CYP17A1 Mutations Causing Combined 17-Hydroxylase/17, 20-Lyase Deficiency

A Biason-Lauber - 2010

Related articles

Hierarchical Structure Recovery of Point-Sampled Surfaces

M Attene, G Patanè - Computer Graphics Forum - interscience.wiley.com

... the map θ rapidly decreases with the increase of the Euclidean distance among points, we

substitute the indices ... Hence, the node replacing the contracted edge is a cluster with two points ...

Then, we consider a point p close to the boundary between two clusters and re-assign it to ...

[PDF] Applying two-sided matching processes to the united states navy enlisted assignment process

PA Robards, NAVAL POSTGRADUATE SCHOOL ... - 2001 - dtic.mil

caregiver.org [PDF]

psu.edu [PDF]

cnr.it [PDF]

dtic.mil [PDF]

... to the implementation of a two-sided matching algorithm that may be used to **assign** sailors to ... of other workers (even those for whom he is only an imperfect **substitute**), and to ... Any new tentative matches found in the matching phase **replace** prior tentative matches involving the ...

Cited by 8 - Related articles - All 4 versions

System and method for dynamically load balancing multiple shader stages in a shared pool of processing units

YJ Jiao, Y Su - US Patent App. 11/406,543, 2006 - Google Patents

... FIG. 6 366 ^368 Page 7. Patent Application Publication Apr. 26, 2007 Sheet 6 of 18

US 2007/0091089 AI ASSIGN ALL EUS ACCORDING TO PREDETERMINED RATIO

-402 ANY BOTTLENECKED HADER? RECORD CURRENT ...

All 2 versions

The 1990 Clean Air Act amendments: overview, utility industry responses, and strategic implications

IM Torrens, JE Cichanowicz, JB Platt - Annual Review of Energy ..., 1992 - Annual Reviews ... be applied to urban area power plants; these measures could require extensive **application** of control ... cheaper than the fixed \$1500 per ton EPA price for the sales **program** specified in ... Utilities can either purchase the necessary S02 allowances, or **re-assign** them to plants within ...

Cited by 15 - Related articles - All 4 versions

[BOOK] Modern applied statistics with S

WN Venables, BD Ripley - 2002 - books.google.com

... Gentle: Numerical Linear Algebra for **Applications** in Statistics ... name S arose long ago as a compromise name (Becker, 1994), in the spirit of the **program**- ming language ... Our aim is not to be comprehensive nor to **replace** these manuals, but rather to explore much further the use ...

Cited by 2586 - Related articles - Library Search - All 52 versions

Disruption management in the airline industry--Concepts, models and methods

J Clausen, A Larsen, J Larsen, NJ Rezanova - Computers & Operations ..., 2010 - Elsevier

Cited by 40 - Related articles - All 7 versions

[PDF] Student Center Replace Flat Roofs

M Detroit, V Kreher, S Buyer - Ann Arbor, 2009 - forms.purchasing.wayne.edu

... 8. SUBSTITUTION OF MATERIALS AND EQUIPMENT* ... WAYNE STATE UNIVERSITY Student

Center Replace Flat Roofs 2009 WSU Project No. ... Certified Payroll should accompany all Pay

Applications. Failure to provide certified payroll will constitute breach of contract. ...

Related articles - View as HTML

[BOOK] Robust Modal Control with a Toolbox for use with MATLAB

JF Magni - 2002 - books.google.com

... Here, I = (E1 + BKF)d, so, after **substitution** in Equation (1.19) $6(0 = eX^*)^* u^*(\# + BKF)d$ and z = £[

EF] [$^{\circ}$] 6(0 But, ui(£' + BKF1) = utE' + uiBKF ... An other alternative **application** of projection is

proposed in §1.3.6 (page 72). ... These functions consider right eigenvector assign- ment. ...

Cited by 39 - Related articles - All 3 versions

psu.edu [PDF]

psu.edu [PDF]

wayne.edu [PDF]

tuwien.ac.at [PDF]

[PDF] Latent variable models for neural data analysis


M Sahani - 1999 - Citeseer

... the CNS program; members of the Sloan Centres for Theoretical Neuroscience, both at Caltech and ... in a cortical neuron by constant experimental conditions. The model examined is an old one in the statistical literature, but appears to be new to this particular application: it is the ...

Cited by 76 - Related articles - View as HTML - All 5 versions

Contracts in the vertical assignment of powers over the environment

A Scott - Governing the Environment: Salient Institutional Issues, 2009 - books.google.com ... power-assigning market, described generally in Section 2, operates specifically to assign 'powers over ... if they behaved competitively, the provincial politi- cians would set out to replace federal restrictions on ... like that in this exam- ple, although it may find some informal substitute. ... Cited by 2 - Related articles



Did you mean to search for: (replace or substitute or assign or reassign) and (application or program)



(replac or substitut or assign or re-

Search

Go to Google Home - About Google - About Google Scholar

©2010 Google